

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11533	(wip\$3 near2 out) (clear\$3 near2 cache) (delet\$3 near5 local near5 (copy copies))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:49
L2	1728227	command instruct%4 config \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:51
L3	27	2 same 1 same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:51
L4	11776594	@ad<"20010202" @rlad<"20010202"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:51
L5	6	3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:51
L6	393	1 same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:54
L7	132	6 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 12:54
L8	314	ad\$hoc same (mobile wireless) same (communication with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:20
L9	83	ad\$hoc same (mobile wireless) and ((delet\$3 clear \$3 remov\$3) with copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:25

L10	30	8 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:25
L11	6	10 and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:47
L12	0	"20020044533" and blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:52
L13	0	"20020044533" and blue \$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:52
L14	0	"20020044533" and tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:53
L15	0	"7023818".pn. and blue \$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:54
L16	22	8 and 4 and blue\$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:54
L17	21	16 and (stor\$3 sav\$3 exchang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:55
L18	1	17 and (multi\$hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:56
L19	10	17 and (hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:58
L20	10	17 and (hop) and destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 13:59

L21	6	8 and 4 and destination and (stor\$3 sav\$3 exchang\$3) and auth\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:05
L22	0	21 and (multi\$hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:06
L23	4	21 and (hop\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:06
L24	4	21 and (hop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:06
L25	0	"20020044533" and (secur\$3 auth\$10)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:13
L26	0	"20020044533" and (secur\$3 auth\$10 identify identity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:13
L27	28	multicast\$3 with delet\$3 with (copy copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:25
L28	13	27 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:25
L29	121	broadcast\$3 with delet\$3 with (copy copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:32
L30	80	29 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:32
L31	0	29 and 4 and ad\$hoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:33

L32	0	ad\$hoc with delet\$3 with (copy copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:34
L33	89	pass\$3 with delet\$3 with (copy copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:34
L34	0	ad\$hoc same delet\$3 with (copy copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:35
L35	1	"7023818".pn. and auth\$9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:51
L36	0	8 and 4 and permission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 14:53
L37	36	propagat\$3 with delet\$3 with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:15
L38	12	37 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:16
L39	44	(propagat\$3 with delet\$3) same (range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:49
L40	26	39 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:50
L41	0	(propagat\$3 with delet\$3) same (range with communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:51
L42	0	(propagat\$3 with delet\$3) same (range with communicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:51

L43	43	(propagat\$3 with delet\$3) and (ad\$hoc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:53
L44	14	43 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 15:53
L45	19	(master with propagat\$3 with delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:03
L46	3	45 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:03
L47	86	(delet\$3 with range with communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:04
L48	0	(delet\$3 with copy with range with communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:04
L49	18	47 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:05
L50	480	delet\$3 with local with copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:09
L51	27	50 and (ad\$hoc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:09
L52	35	50 and (multi\$hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:11
L53	35	52 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:11

L54	749	(delet\$3 with copy) same local	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:13
L55	0	54 and (ad\$hoc) and (multi\$hop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:13
L56	35	54 and 4 and (multi\$hop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:13
L57	288	(delet\$3 with copy with (repeater router nodes))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:15
L58	137	57 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:15
L59	2	58 and (ad\$hoc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:15
L60	6	(delet\$3 with copy with (repeater router nodes)) and unicast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:16
L61	6	60 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:16
L62	51	receiv\$3 with delet\$3 with copy with (repeater router nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:18
L63	31	62 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:18
L64	791	(receiv\$3 with delet\$3 with copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:22

L65	0	64 same (ad\$hoc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:22
L66	34	64 same (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:23
L67	12	66 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:23
L68	1	"20050254475"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:24
L69	0	"6549917".pn. and ad\$hoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:30
L70	0	"6549917".pn. and bluetooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:30
L71	2035	(ad\$hoc and blue\$tooth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:35
L72	2009	(ad\$hoc and blue\$tooth and (cellular wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:35
L73	869135	synchron\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:36
L74	15172	delet\$3 with cop\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:36
L75	1785	bi\$direction\$2 near5 synchron\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:38

L76	0	72 and 74 and 75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:39
L77	11	72 and 74 and 73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:39
L78	0	77 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:40
L79	13	72 and 74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:40
L80	0	79 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:40
L81	6678	(ad\$hoc and (cellular wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:41
L82	123	81 and 74 and 73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:42
L83	55	82 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:46
L84	4	83 and (range with communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:46
L85	3	(transmit\$4 sent send\$3 receiv\$3) with (delet\$3 with (copy copies)) with (range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:48
L86	1523	(transmit\$4 sent send\$3 receiv\$3 propagat\$4) with (delet\$3 with (copy copies))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:53

L87	156	86 and (blue\$tooth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:53
L88	10	87 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:54
L89	762	86 and (wireless mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:57
L90	56	86 and (wireless mobile) and (ad\$hoc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:58
L91	37	90 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 16:58
L92	2603	synchron\$7 same blue\$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:03
L93	475	92 and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:03
L94	45	93 and ad\$hoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:03
L95	8	94 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:03
L96	34	(master same propagat\$3 with delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:06
L97	13	96 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:06

L98	50	propagat\$3 with delet\$3 and blue\$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:07
L99	1	98 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:07
L100	1	(master near5 archiv\$3) same (delet\$3 with local with copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:09
L101	9	(archiv\$3) same (delet\$3 with local with copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:09
L102	4	101 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:09
L103	9	(master near5 copy) same (delet\$3 with local with copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:11
L104	8	103 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:11
L105	50	(propagat\$3 with delet\$3) and blue\$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:25
L106	4313	three near2 data\$base\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:26
L107	34	synchroniz\$7 with 106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:26
L108	0	105 and 107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:27

L109	7	107 and blue\$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:27
L110	2	109 and propagat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:27
L111	631	synchroniz\$7 with (pluralit\$3 with nod\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:31
L112	0	(propagat\$3 with delet\$3 near5 command) and blue \$tooth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:32
L113	8641	synchroniz\$7 with (pluralit\$3 with (nod\$1 devic\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:45
L114	9000	synchroniz\$7 with (pluralit\$3 with (nod\$1 devic\$3 database\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:45
L115	84	retain\$3 near5 master near5 copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:46
L116	0	114 and 115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:46
L117	480	delet\$3 with local with copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:47
L118	0	115 and 117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:47
L119	12780	delet\$3 with copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:47

L120	4	115 and 119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:47
L121	2	114 and 117 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 17:54
L122	6	keep near5 one near5 master near5 copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 18:15
L123	1083	one near5 master near5 copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 18:16
L124	15	123 and (delet\$3 near5 local near5 copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 18:17
S1	1	"20020104011"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 16:08
S2	2	retain\$3 with sav\$3 with until with command with receiv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 19:10
S3	1	"20020104011"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 16:56
S4	90	sav\$3 with until with command with receiv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:10
S5	11764462	@ad<"20010202" @rlad<"20010202"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:00
S6	43	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:07

S7	5	copy with sav\$3 with until with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:08
S8	2	S7 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:08
S9	19	("4248528" "4310235" "4453821" "4521870" "4639881" "4711556" "4711560" "4742483" "4780806" "4806978" "4899138").PN. OR ("5081699").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/05 17:09
S10	274	sav\$3 with until with delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:10
S11	108	S10 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:37
S12	199027	replicat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:44
S13	1	S11 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:38
S14	651	replicat\$3 with (retain\$3 sav \$3) with (delet\$3 modify\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:46
S15	402	S14 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:52
S16	3	S15 and ("709"/\$.ccls. "455"/ \$.ccls. "725"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 17:52

S17	42	("5450313" "5475842" "5535195" "5581753" "5606669" "5608649" "5742510" "5771355" "5774668" "5781901" "5805824" "5835087" "5854899" "5864854" "5903723" "5920697" "5924116" "6011782" "6052718" "6061332" "6070191" "6097882").PN. OR ("6189043").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/05 17:55
S18	1572904	"42" and S5	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/05 17:55
S19	34	S17 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/05 17:55
S20	110203	(retain\$3 sav\$3 cache\$3) with until	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 19:13
S21	11764462	@ad<"20010202" @rlad<"20010202"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 19:13
S22	53294	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 19:13
S23	4567	(retain\$3 sav\$3 cache\$3) with until with (modif\$3 chang\$3 delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 19:15
S24	2195	S21 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 19:14
S25	1031	S24 and (replicat\$3 cop\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 08:06
S26	14277	replicat\$3 near5 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 09:52

S27	4571	(retain\$3 sav\$3 cache\$3) with until with (modif\$3 chang\$3 delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:13
S28	104	S27 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 08:07
S29	11764791	@ad<"20010202" @rlad<"20010202"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 08:07
S30	37	S28 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 08:07
S31	726258	(replicat\$3 synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 09:58
S32	696	S31 and S27 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 09:54
S33	127	S32 and (wireless mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:00
S34	183567	(replicat\$3 synchroniz\$5) near10 (database\$1 file\$1 data content information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:19
S35	343	S34 and S27 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:00
S36	72	S35 and (wireless mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:00
S37	17032	(once after) with (replicat\$3 synchroniz\$5) near10 (database\$1 file\$1 data content information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:09

S38	4	S37 same S27 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:10
S39	4	(S37 same S27) and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:09
S40	0	S38 and (wireless mobile pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:10
S41	143284	(retain\$3 sav\$3 cache\$3) with (modif\$3 chang\$3 delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:19
S42	198	(S34 same S41) and S29 and (wireless mobile PDA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:14
S43	218452	(replicat\$3 synchroniz\$5 mirror\$3) near10 (database \$1 file\$1 data content information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:19
S44	809	(retain\$3 sav\$3 cache\$3) with complete with (modif\$3 delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:31
S45	14	S43 and S44 and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:31
S46	67113	(retain\$3 sav\$3 cache\$3) with (modif\$3 delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:31
S47	951	S43 and S46 and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:31
S48	20001	(retain\$3 sav\$3 cache\$3) with (delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:32

S49	548	S43 and S48 and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:33
S50	758	(retain\$3 sav\$3 cache\$3) with until with (delet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:34
S51	49	(S43 same S48) and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:34
S52	0	(S43 same S50) and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:35
S53	1665	(retain\$3 sav\$3 cache\$3) with until with (delet\$3 modif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:35
S54	0	(S43 same S53) and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 10:37
S55	6702	(retain\$3 sav\$3 cache\$3) with (until (period near5 time) temporary time) with (delet\$3 modif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 11:10
S56	12	(S43 same S55) and S29 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 11:01
S57	20	"5794253" and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 11:01
S58	1	"5794253".pn. and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 11:11
S59	1	"5794253".pn. and (delet\$3 near5 user\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 11:03

S60	558	(retain\$3 sav\$3 cache\$3) with (until (period near5 time) temporary time) with ((delet\$3 modif\$3) near5 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 11:11
S61	1	"6549917".pn. and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 13:46
S62	1	"20020104011" and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 15:00
S63	0	"20020104011" and all	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 15:28
S64	1	"20020104011" and disconnect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 16:28
S65	13123	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 16:28
S66	15717	709/203	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 16:28
S67	6859	395/200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 16:29
S68	4211	707/201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 16:29
S69	2489	370/350	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/06 16:29
S70	46	(mov\$2 near2 data) with "until" with (destination archiv\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 12:50

S71	11773271	@ad<"20010201" @rlad<"20010201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 12:53
S72	15	S70 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 12:53
S73	0	"move the data from node to node until the data reaches the destination"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 13:05
S74	44	(mov\$2 near2 data) with "until" with (destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 13:05
S75	1301	709/249.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 13:10
S76	721	S75 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 13:11
S77	1	"20040215848" and processing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:05
S78	400	delet\$3 with cop\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:08
S79	171	S78 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:09
S80	86	copi\$2 with (sav\$3 stor\$3 archiv\$3) with relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:26
S81	0	S80 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:26

S82	44	S80 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:27
S83	12	S82 and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:28
S84	1392	copi\$2 with (sav\$3 stor\$3 archiv\$3) with (replicat\$3 synchroni\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:31
S85	117	((mov\$2 near2 data) replicat \$3 spynchroni\$4) with "until" with (destination archiv\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:31
S86	6	S84 and S85 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:32
S87	739	((mov\$2 near2 data) replicat \$3 spynchroni\$4 relay\$3) with (reach\$3 "until") with (destination archiv\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:35
S88	282	S87 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:37
S89	16443	delet\$3 with (copied copy copying)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:38
S90	6	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:38
S91	4	S90 and ((sav\$3 retain\$3) near2 (copy copies copying))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:40
S92	833	((mov\$2 near2 data) replicat \$3 synchroni\$4 relay\$3) with (reach\$3 "until") with (destination archiv\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:44

S93	334	S92 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 14:44
S94	6	S93 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:11
S95	31	("4825354" "4887204" "4914571" "5029199" "5095423" "5222242" "5377323" "5425028" "5434974" "5493607" "5564037" "5617566").PN. OR ("5953729").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/24 15:12
S96	1559272	(copy copies copying mirror \$3 synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:25
S97	1661868	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:26
S98	451	S92 and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:31
S99	28599	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) same destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:38
S100	35345	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) same (destination archiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:39
S101	323180	delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:40
S102	7956	(delet\$3 remov\$3) same (copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:41

S103	748	S100 and S102 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:42
S104	21413	p2p "peer-to-peer" peer\$to \$peer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:43
S105	369542	wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:43
S106	89	S103 and S104 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 15:43
S107	20628	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with (destination archiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:05
S108	1033	S104 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:06
S109	344	S108 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:06
S110	1089	(delet\$3 remov\$3) with (copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:06
S111	16	S109 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:07
S112	1671071	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:34
S113	1083	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with node with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:36

S114	27	S113 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:37
S115	16	S114 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:37
S116	1811	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with transfer\$3 with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:44
S117	915	S116 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:46
S118	8	S117 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:46
S119	3341	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with (transfer\$3 relay\$3 mov\$3) with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:49
S120	444	S71 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:51
S121	51	S119 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:51
S122	13	S119 and S120	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:51
S123	0	move near5 data near5 "from" near5 node\$1 near5 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:53
S124	0	mov\$3 near10 data near10 "from" near10 node\$1 near10 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:54

S125	0	mov\$3 near10 "from" near10 node\$1 near10 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:54
S126	0	mov\$3 near10 from near10 node\$1 near10 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:57
S127	668	mov\$3 near10 node\$1 near10 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:57
S128	157	mov\$3 near10 data near10 node\$1 near10 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 16:57
S129	85	S128 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:04
S130	282091	(copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:05
S131	83	S128 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:06
S132	50	S129 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:07
S133	351877	(sav\$3 archiv\$3 copy copies copying mirror\$3 synchroniz \$5 replicat\$3 ("move" near2 data)) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:19
S134	50	S132 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:20
S135	25	S134 and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:27

S136	357	(delet\$3 remov\$3) with (copy copies copying mirror \$3 synchroniz\$5 replicat\$3 ("move" near2 data)) with data with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:31
S137	6	S135 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:34
S138	6	S135 and (wireless mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:34
S139	138	S136 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:41
S140	49952	destination with (receiv\$3 stor\$3) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:43
S141	24	S139 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:44
S142	9	S141 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:45
S143	0	"all" near5 (copies copy) near5 data near5 delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:59
S144	15	(copies copy) near5 data near5 delet\$3 near5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 17:59
S145	7	S144 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:00
S146	6991	((delet\$3 remov\$3) with data with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:02

S147	33070	data with (reach\$3 stor\$3 archiv\$3) with (destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:03
S148	345	S146 and S147 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:03
S149	150	S148 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:04
S150	58	S146 same S147 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:06
S151	0	((delet\$3 remov\$3) with data with all with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:16
S152	0	((delet\$3 remov\$3) with data with "all" with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:16
S153	3704	((delet\$3 remov\$3) with copies with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:17
S154	43	S147 same S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:18
S155	5	S154 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:18
S156	26031	((delet\$3 remov\$3) with copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:19
S157	56	S147 same S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:19

S158	7	S157 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:19
S159	25	S146 and 709/248.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:21
S160	13	S159 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:21
S161	29960	data with (stor\$3 archiv\$3) with (destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:24
S162	380	S156 and S161 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:25
S163	0	S162 and S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:26
S164	276	S162 and ((mirror\$3 copy\$3 replicat\$3 synchroniz\$3) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:26
S165	962	data near2 mover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:57
S166	470	S165 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:57
S167	85	S166 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 18:57
S168	45	S167 and delet\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/24 19:01

S169	2666	ad\$hoc same (wireless mobile) same communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:39
S170	1351	ad\$hoc same (wireless mobile) and (communication with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:39
S171	307	delet\$3 with local near2 (copies copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:58
S172	6	destination with delet\$3 with (local near2 (copies copy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:58
S173	11776594	@ad<"20010202" @rlad<"20010202"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:59
S174	11776594	S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:59
S175	3	S172 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:59
S176	0	S175 and (ad\$hoc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 10:59
S177	12	destination same delet\$3 with (local near2 (copies copy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:00
S178	0	S177 and (ad\$hoc) and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:01
S179	8	S177 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:01

S180	6	S171 and ad\$hoc and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:04
S181	0	S171 and multihop\$4 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:07
S182	165	S171 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:07
S183	92	S171 and S173 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:07
S184	81	S171 and S173 and (mobile wireless) and destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:08
S185	12	destination same (delet\$3 remove) with (local near2 (copies copy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:13
S186	8	S185 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:15
S187	0	destination with (delet\$3) with (command) with (eras \$3 delet\$3) with local with (copies copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:16
S188	12	destination with (eras\$3 delet \$3) with local with (copies copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:17
S189	17	destination with (eras\$3 delet \$3 remov\$3) with local with (copies copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:17
S190	11	S189 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:18

S191	193	(ad\$hop multihop\$4) same destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:22
S192	61	S191 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:22
S193	29145	(eras\$3 delet\$3 remov\$3) with (copies copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:22
S194	0	S192 and S193 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:23
S195	0	S192 and S193	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/25 11:23

3/ 25/ 2008 7:06:15 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\09775170 II.wsp